
Bulletin	UK	Export	Issued
1369	YES	YES	11/02/2019

Off-road HIGH Lumen LED Light Bars



Upgrade your lighting with a new range of supplementary LED work lights from Vapormatic. These versatile lights are compatible with all types of vehicle – from utility and harvesting vehicles to all makes of tractor – available in 335mm single bolt, 543mm curved, 502mm, 615mm and 865mm straight models.


With high lumen ratings across the entire range providing strong flood and directional lighting, these slim-line LED light bars are vibration resistant, longer lasting and less draining on your battery than standard halogen lights. All light bars are approved for off-road use and fully compliant with R10 and IP67 regulations which means complete protection from dust and water immersion (up to 1metre for 30minutes).

	VLC6146	VLC6157	VLC6149	VLC6147	VLC6148
Profile	Single Bolt mount	Straight, bottom mount	Curved, side bracket mount	Straight, side bracket mount	Straight, side bracket mount
Width	335mm	502mm	543mm	615mm	865mm
Height	78mm	115mm	121mm	115mm	115mm
IP Rating	IP67	IP67	IP67	IP67	IP67
Illumination	Flood beam pattern (60°)	Combined flood / spot beam pattern	Combined flood / spot beam pattern	Flood illumination pattern (60°)	Flood illumination pattern (60°)
Lumens (raw)	4,800	6,692	8,800	10,800	16,200
Bulbs	12 x 5W LED	42 x 3W LED	40 x 3W LED	40 x 3W LED	60 x 3W LED
Voltage	12-24V	10-32V	12-24V	12-24V	12-24V
Lens Material	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
Body	Paint powder coated aluminium	Paint powder coated aluminium	Paint powder coated aluminium	Paint powder coated aluminium	Paint powder coated aluminium
Working Temp.	-30°c ~ +50°c	-30°c ~ +50°c	-30°c ~ +50°c	-30°c ~ +50°c	-30°c ~ +50°c
Warranty	12 months	12 months	12 months	12 months	12 months

Bulletin	UK	Export	Issued
1369	YES	YES	11/02/2019

Part No. [VLC6146](#)

Off road single bolt LED work light available for use with all makes of ATV, off-road, agricultural and industrial vehicles



Slim-line, 333mm wide LED light bar ideal for off-road driving and vehicles requiring high performance work lighting but where mounting points or space is limited. Single row of 12 powerful LED's deliver a light output of 4,800 lumens (raw). 60° flood beam pattern provides excellent close working quarter and effective medium distance illumination. Single bolt mount provides flexibility where changes in lighting direction are required. IP67 approved – dust tight and protected from water immersion up to 1m for 30mins. 12-24V operation. ECE R10 approved.


Measurements:	Specifications:	Features:
• Width 335mm	• Flood illumination beam (60°)	• Single-bolt mounting bracket
• Height 78mm	• 4,800 Lumens (raw)	• Die cast aluminium body material
• Depth 75mm	• Colour temperature 6000K	• Impact-resistant polycarbonate lens
	• 12 x 5W LED Bulbs	• Working temp -30°C ~ +50°C
	• 12-24V	• Pre-wired with 2 core cable (400mm length)

Part No. [VLC6157](#)

Off-road straight LED light bar with adjustable mounting brackets ideal for installation on off-road vehicle brush guards.



Dual-row 502mm wide LED design with 42 LEDs delivers 6,692 lumens (raw) of cool white light. Adjustable mounting brackets allow simple fitment onto vehicle brush-guards, etc. Powerful combo spot/flood light beam simultaneously provides long distance terrain and field illumination. IP67 approved. 10-32V operation. ECE R10 approved





Measurements:	Specifications:	Features:
• Width: 502mm	• Combined flood/ spot beam	• Adjustable base mounting brackets
• Height: 115mm	• 6,692 Lumens (raw)	• Die cast aluminium body
• Depth: 74mm	• Colour temperature 6000k	• Impact-resistant polycarbonate lens
	• 42 x 3W LED Bulbs	• Working temp -30°C ~ +50°C
	• 10-32V	• Pre-wired with 2 core cable (200mm length)

Bulletin	UK	Export	Issued
1369	YES	YES	11/02/2019

 Part No. [VLC6149](#)

Off-road curved LED light bar designed to complement the radius, contour and profiles of windscreens, driving cabs and front bumpers. Available for use with all makes of ATV, off-road, agricultural and industrial vehicles



Dual-row 543mm wide LED design with 40 CREE LEDs delivers 8,800 lumens (raw) of cool white light. Curved profile also ensures wider light dispersal and illuminates everything in and around the forward path of the vehicle. Powerful combo spot/flood light beam simultaneously provides long distance terrain and field illumination. IP67 approved – dust tight and protected from water immersion up to 1m for 30mins. 12-24V operation. ECE R10 approved


Measurements:	Specifications:	Features:
• Width: 543mm	• Combined flood/ spot beam	• Adjustable “L-shaped” mounting bracket
• Height: 121mm	• 8,800 Lumens (raw)	• Die cast aluminium body
• Depth: 87mm	• Colour temperature 6000k	• Impact-resistant polycarbonate lens
	• 40 x 3W LED Bulbs	• Working temp -30°C ~ +50°C
	• 12-24V	• Pre-wired with 2 core cable (400mm length)

 Part No. [VLC6147](#)

Off road straight LED light bar ideal for installation on all makes of ATV, off-road, agricultural and industrial vehicles



Dual row 615mm wide LED design with 60° flood light beam gives greater distance to your night vision and the excellent illumination in and around the forward path of vehicle. Dual-row design with 40 powerful LEDs delivers an impressive 10,800 lumens (raw) of cool 6000K white light. IP67 approved – dust tight and protected from water immersion up to 1m for 30mins. 12-24V operation. ECE R10 approved.



Measurements:	Specifications:	Features:
• Width: 615mm	• Flood illumination beam (60°)	• Adjustable “L-shaped” mounting bracket
• Height: 115mm	• 10,800 Lumens (raw)	• Die cast aluminium body
• Depth: 83mm	• Colour temperature 6000K	• Impact-resistant polycarbonate lens
	• 40 x 3W LED Bulbs	• Working temp -30°C ~ +50°C

New Product Update & Parts Information

Bulletin	UK	Export	Issued
1369	YES	YES	11/02/2019


	• 12-24V	• Pre-wired with 2 core cable (400mm length)
--	----------	--

Part No. [VLC6148](#)

Off-road straight LED light bar ideal for installation on all makes of ATV's, off-road, agricultural and industrial vehicles.



Larger, 865mm bar width combined with a 60° flood light beam gives greater distance to your night vision and excellent illumination in and around the forward path of the vehicle. Dual-row design with 60 powerful LED's delivers an impressive 16,200 lumens (raw) of cool 6000K white light. IP67 approved – dust tight and protected from water immersion up to 1m for 30mins. 12-24V operation. ECE R10 approved.



Measurements:	Specifications:	Features:
• Width: 865mm	• Flood illumination beam (60°)	• Adjustable "L-shaped" mounting bracket
• Height: 115mm	• 16,200 Lumens (raw)	• Die cast aluminium body
• Depth: 83mm	• Colour temperature 6000K	• Impact-resistant polycarbonate lens
	• 60 x 3W LED Bulbs	• Working temp -30°C ~ +50°C
	• 12-24V	• Pre-wired with 2 core cable (400mm length)

ADD this Part No. [VLC6150](#)

Pre-Manufactured Professional Wiring Kit with Cab Switch



Plug and play wire harness for universal lighting. Complete with on/off switch and LED indicator, allowing you to easily control the lighting from the comfort of your cab. Also includes; 30 Amp fuse, and 42 Amp automotive relay with solderless spade connections. Cable length 3000mm.



All Vapormatic quality replacement parts carry an industry leading **12 month parts and labour warranty**. For further information on specific items please visit www.vapormatic.com